AMENDMENTS

Listing of Claims:

- 1. (Currently amended) A single chain antibody that specifically binds to an HSV glycoprotein D (HSV gD) and comprises light and heavy chain hypervariable regions of a monoclonal antibody DL11 or 1D3.
- 2. (Canceled)
- 3. (Original) The single chain antibody of claim 1, further comprising a transmembrane region of a cell surface receptor.
- 4. (Original) The single chain antibody of claim 3, wherein the cell surface receptor is a T-cell receptor.
- 5. (Canceled)
- 6. (Original) The single chain antibody of claim 1, coupled to a second antibody that binds to an HSV glycoprotein or other pathogen associated protein.
- 7. (Currently amended) The single chain antibody of claim 6, wherein the <u>second</u> antibody is a bi-specific antibody.
- 8.-11. (Canceled)
- 12. (Previously presented) A composition comprising the single chain antibody of claim 1.
- 13. (Original) The composition of claim 12, further comprising at least a second single chain antibody with a binding affinity for a pathogenic microbe that causes a sexually transmitted disease.
- 14. (Currently amended) The composition of claim 13, wherein binding of the [[the]] second single chain antibody to the microbe reduces the infectivity of the microbe.

- 15. (Original) The composition of claim 14, wherein the microbe is HIV, HSV, chlamydia, or Hepatitis B virus.
- 16. (Original) The composition of claim 12, wherein the composition is comprised in a pharmaceutically acceptable composition.
- 17. (Original) The composition of claim 12, further comprising an antiviral therapeutic agent.
- 18. (Original) The composition of claim 17, wherein the antiviral therapeutic agent is a nucleoside analog.
- 19. (Original) The composition of claim 16, wherein the pharmaceutically acceptable composition is a topical composition.
- 20. (Previously presented) The composition of claim 19, wherein the topical composition is a foam or gel.
- 21. 27. (Canceled)
- 28. (Withdrawn) A method of producing an HSV single chain antibody comprising:
- a) introducing into a cell an expression cassette encoding the single chain antibody of claim1; and
- b) isolating the single chain antibody expressed by the cell.
- 29. (Withdrawn) The method of claim 28, wherein isolating the single chain antibody comprises purifying the single chain antibody.
- 30. (Withdrawn) The method of claim 29, wherein purifying the single chain antibody comprises affinity purification.
- 31. 35. (Canceled)

- 36. (Withdrawn, currently amended) A method of preventing or treating an HSV infection comprising administering to a subject a pharmaceutically acceptable composition comprising at least a first single chain antibody of claim 1-that specifically binds a HSV glycoprotein.
- 37. (Canceled)
- 38. (Canceled)
- 39. (Withdrawn) The method of claim 36, further comprising determining the subject was exposed to HSV.
- 40. (Withdrawn) The method of claim 36, wherein the proteinaceous composition further comprises at least a second single chain antibody having a binding specificity for at least a second microbe.
- 41. (Withdrawn) The method of claim 40, wherein at least a second microbe is HSV, HIV, chlamydia, or HepB.
- 42.-45. (Canceled)
- 46. (Withdrawn, previously presented) A method for determining the presence of HSV in a sample suspected of containing HSV, the method comprising exposing the sample to a single chain antibody of claim 1 that binds an HSV glycoprotein.
- 47. (Canceled)